REFERENCES

1. Joule J. A. and Mills K., **(2000)**, *Heterocyclic Chemistry*, 4th ed., Blackwell Publisher, Oxford.

2. Katritzky A. R., **(1985)**, *Handbook of Heterocyclic Chemistry*, Pergamon Press, Oxford UK.

3. Katritzky A. R. and Rees C. W., **(1984)**, *Comprehensive Heterocyclic Chemistry*, vols. **4** & **5,** Pergamon Press, Oxford UK.

4. Brown F. C., **(1961)**, 4-Thiazolidinones. *Chem. Rev*., **61 (5)**, 463–521

5. Ocal N., Aydogan F., Yolacan C. and Turgut Z. J., **(2003)**, Synthesis of some furo-thiazolidine derivatives starting from aldimines, *J. Heterocycl. Chem*., **40**, 721.

6. Eltsov O. S., Mokrushin V. S., Belskaya N. P. and Kozlova N. M., **(2003)**, Synthesis and transformations of (imidazolylimino) thiazolidinones, *Russ. Chem. Bull.*, **52 (2)**, 461-466.

7. Cunico W., Gomes C. R. B., Ferreira M., Capri L. R., Soares M. and Wardell S. M. S. V. **(2007)**, One-pot synthesis of 2-isopropyl-3-benzyl-1,3-thiazolidin-4-ones and 2-phenyl-3-isobutyl-1,3-thiazolidin-4-ones from valine, arenealdehydes and mercaptoacetic acid. *Tetrahedron Lett.* **48**, 6217–6220.

8. Neuenfeldt P. D., Drawanz B. B., Siqueira G. M., Gomes C. R. B., Wardell S. N.S. V., Flores A. F. C. and Cunico W., **(2010)**, Efficient solvent-free synthesis of thiazolidin-4-ones from phenylhydrazine and 2,4-dinitrophenylhydrazine., *Tetrahedron Lett.* **51,** 3106–3108.

9. Pratap U. R., Jawale D. V., Bhosle M. R. and Mane R. A. **(2011)**, Saccharomyces cerevisiaecatalyzed one-pot three component synthesis of 2,3-diaryl-4-thiazolidinones., *Tetrahedron Lett.*, **52 (14)**, 1689-1691.

10. Mali J. R., Pratap U. R., Netankar P. D. and Mane R. A., **(2009)**, An efficient synthetic route for quinazolinyl-4-thiazolidinones., *Tetrahedron Lett.*, **50 (35)**,5025-5027.

11. Bolli M. H., Abele S., Binkert C., Bravo R., Buchmann S., Bur D., Gatfield J., Hess P., Kohl C., Mangold C., Mathys B., Menyhart K., Muller C., Nayler O., Scherz M., Schmidt G., Sippel V., Steiner B., Strasser D., Treiber A. and Weller T., **(2010)**, 2-imino-thiazolidin-4-one derivatives as potent, orally active S1P1 receptor agonists, *J. Med. Chem.*, **53 (10)**, 4198-4211.

12. Moghaddam F. M. and Hojabri L., **(2007)**, A novel synthesis of some 2-imino-4-thiazolidinone derivatives, *J. Heterocyclic Chem.*, **44**, 35-38.

13. Bolognese A., Correale G., Manfra M., Lavecchia A., Novellino E. and Barone V., **(2004)**, hiazolidin-4-one formation. mchanistic and synthetic aspects of the reaction of imines and mercaptoaceticacid under microwave and conventional heating, *Org. Biomol. Chem.*, **2 (19)**, 2809-2813.

14. Barreca M. L., Chimirri A., De Luca L., Monforte A. M., Monforte P., Rao A., Zappala M., Balzarini J., De Clercq E., Pannecouque C. and Witrouw M., **(2001)**, Discovery of 2,3-diaryl-1,3-thiazolidin-4-ones as potent anti-HIV-1 agent, *Bioorg. Med. Chem.*, **11**, 1793–1796.

15. Rao A., Carbone A., Chimirri A., De Clercq E., Monforte A. M., Monforte P., Pannecouque C. and Zappalà M., **(2002)**, Synthesis and anti-HIV activity of 2,3-diaryl-1,3-thiazolidin-4-(thi)one derivatives. *IL Farmaco*, **57 (9)**, 747-751.

16. Rao A., Balzarini J., Carbone A., Chimirri A., De Clercq E. and Monforte A. M., **(2004)**, Synthesis of new 2,3-diaryl-1,3-thiazolidin-4-ones as anti-HIV agents. *Farmaco.*, **59**, 33-39.

17. Ulusoy N., Ergenç N., Ekinci A. C. and Ozer H., (1996), Synthesis and anticonvulsant activity of some new arylidenehydrazides and 4-thiazolidinones., *Monatshefte für Chemie*, 127(11), 1197-1202.

18. Dwivedi C., Gupta T. K., Parmar S. S., **(1972)**, Substituted thiazolidinones as anticonvulsants., *J. Med. Chem.*, **15**, 553.

19. Parmar S.S., Dwivedi C., Chaudhari A., Gupta T. K., **(1972)**, Substituted thiazolidinones and their selective inhibition of nicotinamide dependant oxidations., *J. Med. Chem.*, **15**, 99.

20. Malawska B., **(2005)**, new anticonvulsant agents, *Current Topics in Medicinal Chem.*, **5,** 69-85.

21. Chen H., Jiao L. L., Guo Z. H., Li X. L., Ba C. L. and Zhang J. C., **(2008),** Synthesis and biological activity of novel thiazolidin-4-ones with a carbohydrate moiety. *Carbohydrate Research*, **343**, 3015-3020.

22. Bhoot D. P., Khunt R. C., Shankhavara V. K., Parekh H. H., **(2006)**, Synthesis of some new heterocyclic compounds with potential biological activity, *Journal of sciences Islamic Republic of Iran*, **17(4)**, 323-325.

23. Altintas H., Ates O., Birtecsoz S., Otuk G., Uzun M. and Satana D., **(2005)**, Synthesis of mnnich bases of some 2,5-disubstituted 4-thiazolidinones and evaluation of their antimicrobial activities., *Turk. J. Chem.*, **29,** 425- 435.

24. Desai K. G. and Desai K. R., **(2006)**, A facile microwave enhanced synthesis of sulfur-containing 5-membered heterocycles derived from 2-mercaptobenzothiazole over ZnCl2/DMF and antimicrobial activity evaluation., *Journal of Sulfur Chemistry*, **27(4)**, 315–328.

25. Shah T. J. and Desai V. A., **(2007)**, Synthesis of some novel fluorinated 4-thiazolidinones containing amide linkages and their antimicrobial screening, *ARKIVOC*, **(xiv)**, 218-228.

26. Mehta P. D., Sengar N. P. S., Subrahmanyam E. V. S. and Satyanarayana D., **(2006)**, Synthesis and biological activity studies of some thiazolidinones and azetidinones., *Ind. J. Pharm. Sci.*, **68 (1)**, 103-106.

27. Hamed A. E., Nadia H., Metwalli, Nagwa M. M., **(1990)**, Cycloaddition reactions of 5-(2-thienyl) methylene derivatives of thiazolidinone-4-thiones and their antimicrobial activities., *Archives of Pharmaceutical Research*, **13(1)**, 5-8.

28. Pawar R. B. and Mulwad V. V., **(2004)**, Synthesis of some biologically active pyrazole, thiazolidinone, and azetidinone derivatives., *Chemistry of Heterocyclic Compounds*, **40(2)**, 219-226.

29. Vicini P., Geronikaki A., Incerti M., Zani F., Deardenc J. and Hewitt M., **(2008)**, 2-Heteroarylimino-5-benzylidene-4-thiazolidinones analogues of 2-thiazolylimino-5-benzylidene-4-thiazolidinones with antimicrobial activity: Synthesis and structure activity relationship, *Bioorg. Med. Chem*., **16**, 3714–3724.

30. Cacic M., Trkovnik M., Cacic F. and Has-Schon E., **(2006)**, Synthesis and antimicrobial activity of some derivatives of (7-hydroxy-2-oxo-2*h*chromen-4-yl)-acetic acid hydrazide, *Molecules*, **11**, 134-147.

31. Vagdevi H. M., Vaidya V. P., Latha K. P. and Padmashali B., **(2006)**, Synthesis and pharmacological examination of some Thiazolidinone derivatives of Naphto [2,1-b] furan., *Indian J. Pharm. Sci.,* **68(6)**, 719-725.